


Now nothing can cut out the joy of life.
Not even a power cut.



SU-KAM **KOHLER**
LPG/PNG & Diesel Generators.

Su-Kam Power Systems Ltd.
Corporate Office: Plot No. 54, Udyog Vihar, Phase VI, Sector-37,
Gurgaon-122001, Haryana, India.
Tel: +91-124- 4170500, 4030700 Fax: +91-124-4038700/1/2
E-mail: info@su-kam.com Website: www.su-kam.com
Helpline No.:1800-102-4423 (Toll Free)

The power to live your best.



Gas Genset (7.5kVA-340kVA)



Diesel Genset (3.5kVA-630kVA)

Life is packed with the most exciting things to do. Whether it's at work or at play, spending time with the family or just relaxing on your own, you need the all-important power source to make your life complete. Which is why Su-Kam and Kohler have got together to bring you the world's very finest Kohler LPG/PNG & Diesel Generators, to give you clean, steady and hassle-free power at all times. So you can power your life with the best of experiences and never miss out on a meaningful moment again!



Su-Kam and Kohler. A power - packed collaboration.

Kohler Power Systems is the world's leading manufacturer of generators. It is brought to you in India by Su-Kam Power Systems. Kohler India Corporation is a wholly owned subsidiary of Kohler Co., formed in 1873, and is headquartered in Kohler Wisconsin, United States of America.

The Company manufactures top-of-the-line Diesel and LPG/PNG Gas Generators, making it easy for you to live through the toughest of power-cuts with the greatest of ease.

With a leading edge in technology and design, the company provides generators which carry big power in a small package. The LPG/PNG Generators are available in 7.5 - 400 kW/kVA and the Diesel Generators 3.5 - 630 kVA. Kohler generators known for Power, Reliability, Design and Engineering.

Su-Kam Power Systems Ltd., India's leading power back-up solution provider that has revolutionized the power back-up industry in the India has now joined hands with Kohler India Corporation.



LPG/PNG GENERATORS.

Clean, green power you can rely on.



Wherever and whenever you need it, Su-Kam | Kohler LPG/PNG Generators have the power to keep you going. They give you clean and steady power for all your needs. They are reliable, safe and affordable.

At Work

Whether you're a stockbroker or a gamer, a doctor or a homemaker, whether you work at home or you work in an out-of-the-way place, full back-up power with Su-Kam | Kohler LPG/PNG Generators ensure that you will never spend another day without power again.

At Home

The first priority during outages is to provide sufficient light. If power is out for several hours, you will want to power your refrigerator or air conditioner as well. The Su-Kam | Kohler LPG/PNG Generator can do all that and can also be used to power, ovens and other kitchen electrical appliances, to cook your meals.

The Su-Kam | Kohler LPG/PNG Generator is a great choice for homeowners with larger power requirements such as deep well water pumps.

Su-Kam® | KOHLER®

Power without black smoke!



- Dual fuel option LPG/PNG
- Most compact Generators
- 100% dependability with advance Digital Controller
- Silent Operation
- 100% Block Loading capability
- Remote two wire start/stop capability

Advantages of the Su-Kam | Kohler LPG/PNG Generators.

Stronger	With 100% Block Loading capability the Generators have the power to heat and air-condition your home and run large appliances including the refrigerator, oven and dryer.
Faster	They restore power in as little as 10 seconds flat. That's twice as fast as the competitor's models.
Green, Pollution Free Power	There is no external exhaust, so no poisonous fumes are expelled into the atmosphere.
Cleaner	Their best in-class power quality protects your electronics from the damaging effects of poor power quality, thanks to industry leading voltage variation and frequency regulation. Add to this the ultra-low levels of harmonic distortion, and you get the best generator power quality ever, to protect your prized home appliances.
Quiet operation	The generators are silent in operation with noise level ≤ 75 dB.
Advanced design	Su-Kam Kohler LPG/PNG Generators, offer the industry's first and only 100% corrosion-proof enclosure (14 RES & 20 RES). Come what may, from subzero temperatures salt air, whatever-it's built to take a beating and protect your generator for years to come.
Easy Installation And Service	Saves you time and money. Su-Kam Kohler dealers are hand-selected and trained to ensure excellent service to your complete satisfaction.
Best Warranty	We build our generators for the long haul and back them up with the industry's best warranty.
A Wide Range Of Power Options	Select the unit that best suits your needs from the models available in the range of 7.5 - 400 kVA/kW, you can install the one that best suits your needs.
Compact	The Gensets comes with inbuilt silencer, so requires less space and is perfect for small households as well.

DIGITAL CONTROLLER



- Remote two wire start/stop capability for optional connection.
- One digital controller manages both the generator set and transfer switch. functions (with optional Model RRT transfer switch) .
- Designed for today's most sophisticated electronics.
- Electronic speed control responds quickly to varying household demand .
- Digital voltage regulation protects your sensitive electronics from harmonic distortion and unstable power quality.
- LED display shows system status and setup information.

Various Communication Capabilities

Faults displayed:

- Low oil pressure
- Over crank
- High battery voltage
- Over frequency
- High engine temperature
- Over speed
- Over voltage
- Under voltage.
- Loss of generator AC sensing
- Under frequency
- Low battery voltage
- Under speed
- Low cranking battery voltage

Membrane keypad:

- OFF, AUTO, and RUN push buttons
- Password protected access enabled.
- System voltage/frequency selection and engine configuration
- Voltage, gain, and engine speed adjustment

OFF, AUTO, and RUN LED indicators

LED display:

- Scrolling system status display includes engine runtime hours, battery voltage, generator voltage, engine temperature, and utility voltage *
- Crank cycle status
- Setup information
- Firmware version
- Faults
- Event history

Alternator with AVR

Ensures constant output voltage/ frequency for powering sensitive appliances

Convenient Power

- Ready to Start
- Automatic
- Fast Response
- No Installation
- No Foundation
- No Exhaust Pipe

**SAY GOOD-BYE TO
HASSLES OF REFUELING
OF TANK**



GAS GENSET RANGE

Model No.	kW/kVA	Voltage	Phase	Freq.	Warranty	Dimension (mm)		
						Length	Width	Height
8.5RES	7.5/7.5	230	1	50	5 yrs	1123	726	804
12RES	10.5/10.5	230	1	50	5 yrs	1123	726	804
14RES	10/10	230	1	50	5 yrs	1216	665	733
20RES	13/13	230	1	50	5 yrs	1216	665	733
25REZG	19/19	230	1	50	5YRS	2200	864	1172
25REZG	23/23	416	3	50	1YR	2200	864	1172
30REYG	19.6/19.6	220	1	50	1YR	1400	725	927
30REYG	20.2/25.5	416	3	50	1YR	1400	725	927
30REZG	23/23	220	1	50	1YR	2200	1040	1172
30REZG	26/33	416	3	50	1YR	2200	1040	1172
45REZG	30/30	220	1	50	1YR	2200	1040	1172
45REZG	33/41	416	3	50	1YR	2200	1040	1172
50REZGB	40/40	220	1	50	1YR	2200	864	1175
50REZGB	40/50	416	3	50	1YR	2200	864	1175
60REZG	40/40	220	1	50	1YR	2200	864	1175
60REZG	46/58	416	3	50	1YR	2200	864	1175
80RZGB	55/55	220	1	50	1YR	2800	864	1380
80RZGB	62/77	416	3	50	1YR	2800	864	1380
80RZGD	66/66	220	1	50	1YR	2800	864	1380
80RZGD	70/87	416	3	50	1YR	2800	864	1380
100RZGD	67/67	220	1	50	1YR	2800	864	1380
100RZGD	68/85	416	3	50	1YR	2800	864	1380
125REZGB	84/84	220	1	50	1YR	2800	864	1538
125REZGB	94/117	416	3	50	1YR	2800	864	1538
150REZGB	91/91	220	1	50	1YR	2800	1120	1538
150REZGB	116/145	416	3	50	1YR	2800	1120	1538
180RZXB	125/125	220	1	50	1YR	3575	1350	1908
180RZXB	114/143	416	3	50	1YR	3575	1350	1908
250RZXB	148/185	416	3	50	1YR	3500	1750	2148
300RZXB	240/300	416	3	50	1YR	3475	1711	2464
350RZX	252/315	416	3	50	1YR	3475	1711	2464
400RZX	272/340	416	3	50	1YR	3900	1975	2464

CUT OUT THE **POWER CUTS** FROM YOUR LIFE!



DIESEL GENSETS

FROM

KOHLER®

(USA)

Brought to you by Su-Kam.

Su-Kam | Kohler Diesel Gensets known for their superior Power, Reliability and Design. Dependable to an extreme, they incorporate the world's most advanced engines.

Experience their power, as they eliminate all the power cuts from your life with the greatest of ease. They are versatile and compact enough to be used in the home, office or in commercial spaces. Strong performers, with heavy duty engines, they're here to do you a power of good.

Powerful features.

- Fast Response
- Low Operating cost
- Microprocessor controlled integrated controller
- Vibration Isolators
- All serviceable points on one side.
- Silent performers, with no external exhaust.
- Compact enough for use in homes, offices and commercial spaces.
- ARAI & BIS approved.
- Main line breaker





Real Time Digital Monitoring

The User Interface ensures to update you with the actual load on machine & voltage, frequency & current being supplied to the load.

The Superior Onboard Electronic Controller monitors the fuel level, engine temperature & battery voltage to keep you away from blackouts.

ACCURATE DIGITAL DISPLAY OF ALL PARAMETERS

Protections:

- Engine temperature
- Low oil pressure
- Over crank
- Over speed
- Over & under voltage
- Over & under frequency
- Emergency stop
- Auxiliary fault

Display warning:

- Low battery voltage
- High battery voltage
- Low fuel level



Perfect Size for Your Needs

No External Exhaust.

The Genset comes with inbuilt silencer. Requires less space. ensure safety & no rusting



Emergency Stop



Generator with castor wheel provides ease of operation

Typical 5 kVA Load Chart


Options	A Residential	B Office	C Commercial
Tube Light	3		
CFL	3	4	20
Ceiling Fan	4	4	
AC	1	1	2
Iron	1		
Refrigerator	1	1	
Washing Machine	1		
TV	1		1
Computer		8	1

Note: Indicative values only, actual calculations depends on manufacturer's specification. Tubelight 40W, CFL of 11W, TV 19-21", Ceiling Fan 36/48", A/C 1 ton, Semi-Automatic Washing Machine & small Refrigerator recommended.

Government Compliance from:



EASE OF MAINTENANCE



DIESEL GENSET RANGE

Model No.	kW/kVA	Voltage	Phase	Freq.	Warranty	Length	Breadth	Height
						mm	mm	mm
KK04	2.8/3.5	230	1	50	1 YR	850	550	600
KK05	4/5	230	1	50	1 YR	950	660	742
KK08	6/7.5	440	3	50	1 YR	1400	800	920
KKS08	6/7.5	230	1	50	1 YR	1400	800	920
KE15	12/15	415	3	50	2 YR	1997	950	1485
KES15	12/15	230	1	50	2 YR	1997	950	1485
KE20	16/20	415	3	50	2 YR	1997	950	1485
KES20	16/20	230	1	50	2 YR	1997	950	1485
KE25	20/25	415	3	50	2 YR	1997	950	1485
KES25	20/25	240	1	50	2 YR	1997	950	1485
KE30	24/30	415	3	50	2 YR	1997	950	1485
KT 40	32/40	415	3	50	2 YR	2660	1050	1805
KT50	40/50	415	3	50	2 YR	2660	1050	1805
KZA50	40/50	415	3	50	2 YR	2950	1000	1600
KT63	50/62.5	415	3	50	2 YR	2660	1050	1805
KZA63	50/62.5	415	3	50	2 YR	2950	1000	1600
KT75	60/75	415	3	50	2 YR	3350	1230	1851
KZA85	68/85	415	3	50	2 YR	3350	1230	1764
KZA100	80/100	415	3	50	2 YR	3350	1230	1764
KZA125	100/125	415	3	50	2 YR	3350	1230	1764
KZA180	144/180	415	3	50	2 YR	4490	1390	2136
KZA200	160/200	415	3	50	2 YR	4490	1390	2136
KZA250	200/250	415	3	50	2 YR	4490	1390	2136
KVS325	260/325	415	3	50	1 YR	4568	1640	2347
KVS377	301/377	415	3	50	1 YR	4568	1640	2347
KVS500	400/500	415	3	50	1 YR	5060	1640	2493
KVS630	504/630	415	3	50	1 YR	5960	1800	2819